

Annex I

Office Orders on Grievance  
Redressal Cell and  
Independent Appeal  
Mechanism

# ALLAIN DUHANGAN HYDRO-ELECTRIC PROJECT

PI/I#/I-10/23

May 23, 2004

## Office Order

### **Sub: Constitution of Grievance Cell**

In terms of Para 10.21.4 (Copy Annexed) of the ESIA document, a Grievance Cell is hereby constituted at the project site, to consider and act, on the grievance(s) received from the affected villagers. The following officers are nominated to the Grievance Cell:-

1. Shri N.Ballal, Manager
2. Sh. Ashwani Diwan, Dy. Manager
3. Shri D.K.Singh, Asstt. Manager

Shri D.K.Singh shall be the Member Secretary of this committee.

The committee shall hear the grievances of the villagers in the Project Office located at Prini as per the following schedule:-

1. Prini Panchayat  
Every 2<sup>nd</sup> and 4<sup>th</sup> Tuesday at 3PM
2. JagatsukhPanchayat  
Every 2<sup>nd</sup> and 4<sup>th</sup> Tuesday at 4PM
3. Aleo Panchayat  
Every 2<sup>nd</sup> and 4<sup>th</sup> Tuesday at 5PM

In case the 'Tuesday' happens to be a holiday, then the committee shall meet the villagers at the designated times on the next working day.

The procedure for recording and redressal of the grievances shall be as follows:-

1. A grievance register shall be opened which will be kept in the P&A Wing.

2. Upon receipt of the grievance, whether reported verbally or in writing, the grievance shall be recorded in the register along with the name/names of the person(s) lodging the grievance, and the date of receipt of the grievance. The approximate response time for responding and for redressal of the grievance shall be informed to the "grievance holder". If the grievance can be addressed by this committee then this should be done immediately by the Grievance Committee.
3. If the grievance pertains to another department then the committee will write to the concerned department with a copy to the 'Project Incharge'. A specific time frame will be set to respond to the grievance.

Once the grievance is resolved, an acceptance report shall be taken from the 'grievance holder' that the grievance has been resolved. The date, when the grievance was resolved shall be recorded on the 'Grievance Register'.

The "Grievance Cell" will function in a time bound and transparent manner.

This order shall remain in force till further orders.



(V.P.S. CHAUHAN)

Copy to:

1. Individual Concerned
2. S/Shri OPA/AJ
3. Shri RPG



# AD HYDRO POWER LIMITED

Corporate Office :  
Bhilwara Towers, A-12, Sector-1, Noida-201301, NCR-Delhi (India)  
Tel. : 91-120-2541810 (EPABX), Fax : 91-120-2531648/2531745  
email : lnjpower@bhilwarainfo.com



June 24, 2004

Annex - XII

## Office Order

### Sub : Allain Duhangan Hydroelectric Project - Independent appeal mechanism

A committee is hereby constituted, to act as an independent appeal mechanism for redressal of grievances and also to ensure that the Grievance Redressal Cell (GRC) set up at the project works well. The committee shall also operate as an independent mechanism to ensure that all the undertakings and agreements between the company and the people are respected. The committee will consist of the following members:


- |    |  |   |                  |
|----|--|---|------------------|
| 1. | Sh. R.P. Goel<br>(Retd. Chief Engineer, HPSEB, Independent Observer)               | - | Chairman         |
| 2. | Sh. Sharad Kumar (Company Representative)  | - | Member Secretary |
| 3. | Pradhan - Gram Panchayat, Jagatsukh  | - | Member           |
| 4. | Pradhan - Gram Panchayat, Prini  | - | Member           |
| 5. | District Administration Official<br>(Nominated by DC -Kullu on case to case basis) | - | Member           |

This committee will look into the appeals filed by various individuals/groups on issues, which could not be settled by the GRC. After receiving a written response from the GRC and which is found unacceptable, the appeal should be submitted by the concerned person/persons to the Project-in-Charge, who will forward the same to Member Secretary.

The case will be placed in the next scheduled meeting of the committee. Grievances related to environmental management issues in the project area and GRC's suggestions/recommendations shall be reviewed by the committee. The committee shall also review and study the action taken reports of the GRC and suggest improvements, if felt necessary.

The committee shall hold its meetings once in every month during the first six months of the implementation of the project and thereafter, once in every two months during the construction phase of the project. The time and venue of the meetings shall be informed separately.

This will remain in force till further orders

  
Ravi Jhunjunwala  
Chairman

Copy: OPA/AJ/VPSC

Annex J

Flow Measurements  
Upstream of Proposed  
Diversion Structures and  
Downstream on Allain and  
Duhangan Streams



**ALLAIN DUHANGAN HYDROELECTRIC PROJECT**  
**Discharge (Q, cum/sec) observed on Allain River at Aleo and Allain Barrage Site**

		82-83			83-84			84-85			85-86			86-87			87-88			88-89			89-90			
		At Aleo	Barrage	Diff	At Aleo	Barrage	Diff	At Aleo	Barrage	Diff	At Aleo	Barrage	Diff	At Aleo	Barrage	Diff	At Aleo	Barrage	Diff	At Aleo	Barrage	Diff	At Aleo	Barrage	Diff	
		Qa-Qb	(Qa)	(Qb)	Qa-Qb	(Qa)	(Qb)	Qa-Qb	(Qa)	(Qb)	Qa-Qb	(Qa)	(Qb)	Qa-Qb	(Qa)	(Qb)	Qa-Qb	(Qa)	(Qb)	Qa-Qb	(Qa)	(Qb)	Qa-Qb	(Qa)	(Qb)	Qa-Qb
Oct	I	0.803	8.810	7.864	0.946	12.090	10.792	1.298	7.300	6.516	0.784	8.500	7.588	0.912	8.560	7.641	0.919	10.540	9.409	1.131	11.600	10.355	1.245	6.660	5.945	0.715
	II	0.675	7.610	6.793	0.817	11.420	10.194	1.226	6.500	5.802	0.698	7.990	7.132	0.858	7.060	6.302	0.758	8.740	7.802	0.938	8.210	7.329	0.881	5.890	5.258	0.632
	III	0.597	6.770	6.043	0.727	9.540	8.516	1.024	6.200	5.534	0.666	7.040	6.284	0.756	6.030	5.383	0.647	7.290	6.507	0.783	5.160	4.606	0.554	5.880	2.249	3.631
October Average Addition			0.830			1.183			0.716			0.842			0.775			0.951			0.893			1.659		
Nov	I	0.599	6.690	5.972	0.718	8.710	7.775	0.935	8.090	7.222	0.868	6.220	5.552	0.668	5.650	5.044	0.606	5.870	5.240	0.630	3.940	3.517	0.423	5.340	4.767	0.573
	II	0.513	6.470	5.776	0.694	7.250	6.472	0.778	5.890	5.258	0.632	5.330	4.758	0.572	5.290	4.722	0.568	5.140	4.588	0.552	3.420	3.053	0.367	5.450	4.865	0.585
	III	0.455	5.900	5.267	0.633	6.440	5.749	0.691	5.580	4.981	0.599	4.790	4.276	0.514	5.080	4.535	0.545	4.310	3.847	0.463	3.560	3.178	0.382	5.000	4.463	0.537
November Average Addition			0.682			0.801			0.700			0.585			0.573			0.548			0.391			0.565		
Dec	I	0.436	5.470	4.883	0.587	6.130	5.472	0.658	5.290	4.722	0.568	4.630	4.133	0.497	4.710	4.204	0.506	3.530	3.151	0.379	3.490	3.115	0.375	4.430	3.954	0.476
	II	0.393	5.310	4.740	0.570	6.150	5.490	0.660	5.130	4.579	0.551	4.910	4.383	0.527	4.520	4.035	0.485	3.240	2.892	0.348	3.150	2.812	0.338	4.110	3.669	0.441
	III	0.369	5.200	4.642	0.558	6.060	5.410	0.650	5.030	4.490	0.540	4.840	4.320	0.520	4.530	4.044	0.486	2.860	2.553	0.307	3.170	2.830	0.340	3.690	3.294	0.396
December Average Addition			0.572			0.656			0.553			0.515			0.492			0.345			0.351			0.438		
Jan	I	0.375	5.200	4.642	0.558	6.070	5.418	0.652	5.260	4.695	0.565	4.790	4.276	0.514	4.560	4.071	0.489	2.760	2.464	0.296	3.200	2.857	0.343	3.380	3.017	0.363
	II	0.423	4.880	4.356	0.524	6.040	5.392	0.648	5.160	4.606	0.554	4.680	4.178	0.502	4.770	4.258	0.512	2.840	2.535	0.305	3.220	2.874	0.346	2.980	2.660	0.320
	III	0.437	4.420	3.946	0.474	5.920	5.285	0.635	5.080	4.535	0.545	4.800	4.285	0.515	4.780	4.267	0.513	2.920	2.607	0.313	3.390	3.026	0.364	3.160	2.821	0.339
January Average Addition			0.519			0.645			0.555			0.510			0.505			0.305			0.351			0.341		
Feb	I	0.418	4.370	3.901	0.469	4.420	3.946	0.474	4.830	4.312	0.518	4.820	4.303	0.517	4.700	4.195	0.505	2.920	2.607	0.313	3.330	2.973	0.357	3.110	2.776	0.334
	II	0.419	4.430	3.954	0.476	4.370	3.901	0.469	4.750	4.240	0.510	4.730	4.222	0.508	4.700	4.195	0.505	3.210	2.865	0.345	3.140	2.803	0.337	3.310	2.955	0.355
	III	0.415	4.480	3.999	0.481	4.260	3.803	0.457	4.400	3.928	0.472	4.810	4.294	0.516	4.930	4.401	0.529	3.230	2.883	0.347	3.150	2.812	0.338	3.320	2.964	0.356
February Average Addition			0.475			0.467			0.500			0.514			0.513			0.335			0.344			0.348		
Mar	I	0.418	4.950	4.419	0.531	4.530	4.044	0.486	4.580	4.088	0.492	4.630	4.133	0.497	4.960	4.428	0.532	3.770	3.365	0.405	3.250	2.901	0.349	3.260	2.910	0.350
	II	0.413	4.930	4.401	0.529	4.880	4.356	0.524	4.630	4.133	0.497	5.290	4.722	0.568	5.690	5.079	0.611	4.320	3.856	0.464	3.390	3.026	0.364	3.710	3.312	0.398
	III	0.497	5.430	4.847	0.583	5.510	4.919	0.591	4.740	4.231	0.509	5.380	4.803	0.577	5.690	5.079	0.611	3.770	3.365	0.405	3.580	3.196	0.384	4.760	4.249	0.511
March Average Addition			0.548			0.534			0.499			0.547			0.585			0.425			0.366			0.420		

		90-91			91-92			92-93			93-94			94-95			Average Addition al flow between
		At Aleo (Qa)	Barrage (Qb)	Diff Qa-Qb	At Aleo (Qa)	Barrage (Qb)	Diff Qa-Qb	At Aleo (Qa)	Barrage (Qb)	Diff Qa-Qb	At Aleo (Qa)	Barrage (Qb)	Diff Qa-Qb	At Aleo (Qa)	Barrage (Qb)	Diff Qa-Qb	
Oct	I	7.000	6.249	0.751	8.410	7.507	0.903	9.590	8.561	1.029	7.570	6.757	0.813	9.910	8.562	1.348	
	II	5.390	4.811	0.579	7.500	6.695	0.805	8.730	7.793	0.937	6.650	5.936	0.714	8.810	7.612	1.198	
	III	4.950	4.419	0.531	5.840	5.213	0.627	7.450	6.650	0.800	6.390	5.704	0.686	7.690	7.309	0.381	
October Average Addition			0.620		0.778		0.922		0.738		0.738		0.976			0.880	
Nov	I	5.140	4.588	0.552	4.990	4.454	0.536	6.720	5.999	0.721	5.870	5.240	0.630	6.180	5.340	0.840	
	II	4.350	3.883	0.467	4.440	3.963	0.477	6.210	5.543	0.667	5.130	4.579	0.551	5.670	4.899	0.771	
	III	4.010	3.580	0.430	4.020	3.588	0.432	5.590	4.990	0.600	4.130	3.847	0.283	5.020	4.337	0.683	
November Average Addition			0.483		0.482		0.663		0.488		0.488		0.765			0.603	
Dec	I	3.920	3.499	0.421	3.790	3.383	0.407	4.250	3.794	0.456	3.770	3.365	0.405	4.600	3.974	0.626	
	II	3.920	3.499	0.421	3.920	3.499	0.421	3.680	3.285	0.395	3.400	3.035	0.365	4.100	3.542	0.558	
	III	3.100	2.767	0.333	4.060	3.624	0.436	3.570	3.107	0.463	3.110	2.776	0.334	3.780	3.593	0.187	
December Average Addition			0.392		0.421		0.438		0.368		0.368		0.457			0.464	
Jan	I	3.000	2.678	0.322	3.830	3.419	0.411	3.510	3.133	0.377	NA			3.750	3.084	0.666	
	II	3.110	2.776	0.334	3.790	3.383	0.407	3.450	3.080	0.370	NA			3.540	3.059	0.481	
	III	2.930	2.615	0.315	3.690	3.294	0.396	3.180	2.839	0.341	NA			3.460	3.288	0.172	
January Average Addition			0.324		0.405		0.363		0.000		0.000		0.440			0.421	
Feb	I	3.060	2.732	0.328	3.860	3.446	0.414	3.230	2.883	0.347	NA			3.440	2.972	0.468	
	II	3.090	2.758	0.332	3.920	3.499	0.421	3.300	2.946	0.354	NA			3.570	3.084	0.486	
	III	3.260	2.910	0.350	3.890	3.472	0.418	3.190	2.848	0.342	NA			3.430	2.371	1.059	
February Average Addition			0.337		0.418		0.348		0.000		0.000		0.671			0.407	
Mar	I	3.590	3.205	0.385	4.040	3.606	0.434	3.070	2.740	0.330	NA			3.680	3.180	0.500	
	II	3.750	3.347	0.403	4.160	3.713	0.447	3.300	2.946	0.354	NA			4.170	3.603	0.567	
	III	4.260	3.803	0.457	4.120	3.678	0.442	3.410	3.044	0.366	NA			4.740	4.505	0.235	
March Average Addition			0.415		0.441		0.350		0.000		0.000		0.434			0.431	



**ALLAIN DUHANGAN HYDROELECTRIC PROJECT**  
**Discharge (Q, cum/sec) observed on Duhangan River at JagatSukh (J.S.) and Weir Site**

		73-74			74-75			75-76			76-77			77-78			78-79			79-80			80-81			
		At J.S. (Qa)	Weir (Qb)	Diff Qa-Qb	At J.S. (Qa)	Weir (Qb)	Diff Qa-Qb	At J.S. (Qa)	Weir (Qb)	Diff Qa-Qb	At J.S. (Qa)	Weir (Qb)	Diff Qa-Qb	At J.S. (Qa)	Weir (Qb)	Diff Qa-Qb	At J.S. (Qa)	Weir (Qb)	Diff Qa-Qb	At J.S. (Qa)	Weir (Qb)	Diff Qa-Qb	At J.S. (Qa)	Weir (Qb)	Diff Qa-Qb	At J.S. (Qa)
<b>Oct</b>	<b>I</b>	NA	5.166		5.066	3.661	1.405	12.344	8.921	3.423	5.621	4.062	1.559	6.535	4.723	1.812	7.560	5.464	2.096	4.100	2.963	1.137	4.900	3.541	1.359	3.870
	<b>II</b>	4.920	3.556	1.364	5.176	3.741	1.435	10.311	7.452	2.859	5.199	3.757	1.442	4.630	3.346	1.284	4.930	3.563	1.367	3.340	2.414	0.926	3.550	2.566	0.984	3.170
	<b>III</b>	4.825	3.487	1.338	4.730	3.418	1.312	7.949	5.745	2.204	4.522	3.268	1.254	4.367	3.156	1.211	4.223	3.052	1.171	2.740	1.980	0.760	2.940	2.125	0.815	2.700
<b>October Average Addition</b>			<b>0.901</b>		<b>1.384</b>		<b>2.829</b>		<b>1.418</b>		<b>1.436</b>		<b>1.545</b>		<b>0.941</b>		<b>1.053</b>									
<b>Nov</b>	<b>I</b>		<b>3.730</b>		<b>4.600</b>		<b>7.806</b>		<b>3.802</b>		<b>3.685</b>		<b>3.682</b>		<b>2.550</b>		<b>2.660</b>									
	<b>II</b>	3.915	2.829	1.086	4.608	3.330	1.278	5.730	4.141	1.589	3.689	2.666	1.023	3.256	2.353	0.903	3.107	2.245	0.862	2.190	1.583	0.607	2.510	1.814	0.696	2.410
	<b>III</b>	3.631	2.624	1.007	3.821	2.761	1.060	5.250	3.794	1.456	3.498	2.528	0.970	2.774	2.005	0.769	2.920	2.110	0.810	2.090	1.510	0.580	1.640	1.185	0.455	2.200
<b>November Average Addition</b>			<b>1.042</b>		<b>1.205</b>		<b>1.737</b>		<b>1.016</b>		<b>0.898</b>		<b>0.898</b>		<b>0.631</b>		<b>0.630</b>									
<b>Dec</b>	<b>I</b>	3.486	2.519	0.967	2.751	1.988	0.763	4.510	3.259	1.251	3.388	2.449	0.939	2.479	1.792	0.687	2.274	1.643	0.631	1.990	1.438	0.552	2.130	1.539	0.591	2.060
	<b>II</b>	3.654	2.641	1.013	2.641	1.909	0.732	3.480	2.515	0.965	2.952	2.133	0.819	2.155	1.557	0.598	2.619	1.893	0.726	1.830	1.323	0.507	2.010	1.453	0.557	1.800
	<b>III</b>	3.311	2.393	0.918	2.328	1.682	0.646	3.270	2.363	0.907	2.494	1.802	0.692	2.056	1.486	0.570	2.330	1.684	0.646	1.830	1.323	0.507	1.950	1.409	0.541	1.620
<b>December Average Addition</b>			<b>0.966</b>		<b>0.714</b>		<b>1.041</b>		<b>0.817</b>		<b>0.618</b>		<b>0.618</b>		<b>0.522</b>		<b>0.563</b>									
<b>Jan</b>	<b>I</b>	2.534	1.831	0.703	2.492	1.801	0.691	3.840	2.775	1.065	2.368	1.711	0.657	2.145	1.550	0.595	2.200	1.590	0.610	1.750	1.265	0.485	1.930	1.395	0.535	1.690
	<b>II</b>	2.097	1.516	0.581	2.924	2.113	0.811	2.950	2.132	0.818	2.250	1.626	0.624	2.246	1.623	0.623	2.170	1.568	0.602	1.640	1.185	0.455	1.910	1.380	0.530	1.860
	<b>III</b>	2.301	1.663	0.638	3.047	2.202	0.845	2.970	2.146	0.824	2.058	1.487	0.571	2.131	1.540	0.591	2.080	1.503	0.577	1.640	1.185	0.455	1.650	1.192	0.458	1.830
<b>January Average Addition</b>			<b>0.641</b>		<b>0.782</b>		<b>0.902</b>		<b>0.617</b>		<b>0.603</b>		<b>0.596</b>		<b>0.465</b>		<b>0.508</b>									
<b>Feb</b>	<b>I</b>	2.371	1.714	0.657	3.986	2.881	1.105	3.600	2.602	0.998	1.955	1.413	0.542	1.962	1.418	0.544	2.001	1.446	0.555	1.640	1.185	0.455	1.620	1.171	0.449	1.870
	<b>II</b>	2.240	1.619	0.621	3.022	2.184	0.838	2.960	2.139	0.821	1.900	1.373	0.527	1.848	1.336	0.512	2.126	1.536	0.590	1.620	1.171	0.449	1.730	1.250	0.480	1.920
	<b>III</b>	2.330	1.684	0.646	3.046	2.201	0.845	2.940	2.125	0.815	1.900	1.373	0.527	1.933	1.397	0.536	2.010	1.453	0.557	1.650	1.192	0.458	1.680	1.214	0.466	1.880
<b>February Average Addition</b>			<b>0.641</b>		<b>0.929</b>		<b>0.878</b>		<b>0.532</b>		<b>0.531</b>		<b>0.531</b>		<b>0.567</b>		<b>0.465</b>		<b>0.465</b>							
<b>Mar</b>	<b>I</b>	1.758	1.271	0.487	2.998	2.167	0.831	3.200	2.313	0.887	1.931	1.396	0.535	1.811	1.309	0.502	2.039	1.474	0.565	1.650	1.192	0.458	1.710	1.236	0.474	1.880
	<b>II</b>	1.838	1.328	0.510	3.138	2.268	0.870	3.090	2.233	0.857	2.087	1.508	0.579	1.998	1.444	0.554	2.277	1.646	0.631	1.650	1.192	0.458	1.860	1.344	0.516	2.080
	<b>III</b>	2.065	1.492	0.573	3.224	2.330	0.894	3.350	2.421	0.929	2.129	1.539	0.590	2.085	1.507	0.578	2.660	1.922	0.738	1.800	1.301	0.499	2.030	1.467	0.563	2.470
<b>March Average Addition</b>			<b>0.523</b>		<b>0.865</b>		<b>0.891</b>		<b>0.568</b>		<b>0.545</b>		<b>0.545</b>		<b>0.645</b>		<b>0.472</b>		<b>0.518</b>							



		89-90		90-91			91-92			92-93			93-94			94-95			Average Addition al flow between
		Weir (Qb)	Diff Qa-Qb	At J.S. (Qa)	Weir (Qb)	Diff Qa-Qb	At J.S. (Qa)	Weir (Qb)	Diff Qa-Qb	At J.S. (Qa)	Weir (Qb)	Diff Qa-Qb	At J.S. (Qa)	Weir (Qb)	Diff Qa-Qb	At J.S. (Qa)	Weir (Qb)	Diff Qa-Qb	
Oct	I	2.992	1.148	4.140	2.992	1.148	6.020	4.351	1.669	7.270	5.254	2.016	6.710	4.849	1.861	7.070	5.110	1.960	
	II	2.645	1.015	3.800	2.746	1.054	4.700	3.397	1.303	5.590	4.040	1.550	5.430	3.924	1.506	6.050	4.372	1.678	
	III	2.320	0.890	3.210	2.320	0.890	4.720	3.411	1.309	4.120	2.978	1.142	4.640	3.353	1.287	4.580	3.310	1.270	
October Average Addition		<b>1.018</b>			<b>1.031</b>			<b>1.427</b>			<b>1.569</b>			<b>1.551</b>			<b>1.636</b>		<b>1.341</b>
Nov	I	<b>2.830</b>			<b>2.490</b>			<b>1.920</b>			<b>3.520</b>			<b>3.890</b>			<b>3.840</b>		
	II	1.778	0.682	2.310	1.669	0.641	3.040	2.197	0.843	3.090	2.233	0.857	3.490	2.522	0.968	3.340	2.414	0.926	
	III	1.597	0.613	1.860	1.344	0.516	2.830	2.045	0.785	2.210	1.597	0.613	2.990	2.161	0.829	3.100	2.240	0.860	
November Average Addition		<b>0.693</b>			<b>0.616</b>			<b>0.720</b>			<b>0.815</b>			<b>0.959</b>			<b>0.950</b>		<b>0.873</b>
Dec	I	1.496	0.574	1.640	1.185	0.455	2.310	1.669	0.641	1.960	1.417	0.543	2.770	2.002	0.768	3.010	2.175	0.835	
	II	1.301	0.499	1.610	1.164	0.446	2.010	1.453	0.557	1.790	1.294	0.496	2.360	1.706	0.654	2.690	1.944	0.746	
	III	1.258	0.482	1.600	1.156	0.444	1.820	1.315	0.505	1.680	1.214	0.466	2.080	1.503	0.577	2.530	1.828	0.702	
December Average Addition		<b>0.518</b>			<b>0.448</b>			<b>0.568</b>			<b>0.502</b>			<b>0.666</b>			<b>0.761</b>		<b>0.650</b>
Jan	I	1.207	0.463	1.520	1.099	0.421	1.790	1.294	0.496	1.580	1.142	0.438	NA			2.210	1.597	0.613	
	II	1.279	0.491	1.470	1.062	0.408	1.640	1.185	0.455	1.570	1.135	0.435	NA			2.100	1.518	0.582	
	III	1.395	0.535	1.500	1.084	0.416	1.630	1.178	0.452	1.580	1.142	0.438	NA			1.820	1.315	0.505	
January Average Addition		<b>0.496</b>			<b>0.415</b>			<b>0.468</b>			<b>0.437</b>			<b>0.000</b>			<b>0.567</b>		<b>0.557</b>
Feb	I	1.359	0.521	1.530	1.106	0.424	1.610	1.164	0.446	1.500	1.084	0.416	NA			1.740	1.258	0.482	
	II	1.229	0.471	1.490	1.077	0.413	1.660	1.200	0.460	1.520	1.099	0.421	NA			1.710	1.236	0.474	
	III	1.099	0.421	1.480	1.070	0.410	1.810	1.308	0.502	1.550	1.120	0.430	NA			1.600	1.156	0.444	
February Average Addition		<b>0.471</b>			<b>0.416</b>			<b>0.469</b>			<b>0.422</b>			<b>0.000</b>			<b>0.467</b>		<b>0.519</b>
Mar	I	1.402	0.538	1.570	1.135	0.435	2.030	1.467	0.563	1.940	1.402	0.538	NA			1.700	1.229	0.471	
	II	1.489	0.571	1.870	1.351	0.519	2.400	1.734	0.666	1.960	1.417	0.543	NA			1.690	1.221	0.469	
	III	1.467	0.563	2.450	1.771	0.679	2.660	1.922	0.738	2.180	1.576	0.604	NA			2.700	1.951	0.749	
March Average Addition		<b>0.557</b>			<b>0.544</b>			<b>0.656</b>			<b>0.562</b>			<b>0.000</b>			<b>0.563</b>		<b>0.585</b>

**ERM has over 145 offices  
Across the following  
countries worldwide**

Argentina	Netherlands
Australia	Peru
Belgium	Poland
Brazil	Portugal
China	Puerto Rico
France	Singapore
Germany	Spain
Hong Kong	Sweden
Hungary	Taiwan
India	Thailand
Indonesia	UK
Ireland	USA
Italy	Venezuela
Japan	Vietnam
Korea	
Malaysia	
Mexico	

**ERM India Private Limited**

6th Floor, Block 4B,  
DLF Corporate Park,  
DLF City, Phase-III,  
Gurgaon NCR – 122 002  
India  
Tel : 91-124-4170300  
Fax: 91-124-4170301  
Email: india@erm.com

[www.erm.com](http://www.erm.com)